

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	101 _R	102 _R	103 _R	104 _R	105 _R	106 _R	107 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)							
Class A: single-family							
- detached	●	●	●	●	●	●	
- semi-detached							
- row							●
Class B: duplex/triplex							
- detached							
- semi-detached							
- row							
Class C: multifamily							
- detached							
- semi-detached							
- row							
FLOOR SPACE INDEX							
Minimum/Maximum (see 3.4)	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,3/0,7
MAXIMUM LOT COVERAGE (in %)							
	40	40	40	40	40	40	35
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)							
Front	5,4	5,4	5,4	5,4	5,4	5,4	7,6
Side	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	4,5
Rear	7,6	7,6	7,6	7,6	7,6	7,6	13,7
FLAT ROOFS (Prohibited: X)							
	X	X	X	X	X	X	X
HEIGHT (in metres)							
Minimum	5	5	5	5	5	5	5
Maximum	10	10	10	10	10	10	10
NUMBER OF FLOORS							
Minimum	1,5	1,5	1,5	1,5	1,5	1,5	1,5
Maximum	2	2	2	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)							
	A	A	A	A	A	A	A
MIN. HABITABLE FLOOR AREA (see 10.3b)							
	A	A	A	A	A	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)							
Minimum area (in sq.m)	B	B	B	B	B	B	D
Minimum frontage and minimum width (in m)	B	B	B	B	B	B	D
ADDITIONAL SPECIFIC PROVISIONS							

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	108 _R	109 _R	110 _R	111 _R	112 _R	113 _R	114 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)							
Class A: single-family							
- detached	●	●	●		●	●	●
- semi-detached							
- row				●			
Class B: duplex/triplex							
- detached							
- semi-detached							
- row							
Class C: multifamily							
- detached							
- semi-detached							
- row							
FLOOR SPACE INDEX							
Minimum/Maximum (see 3.4)	0,2/0,5	0,2/0,5	0,2/0,5	0,3/0,7	0,2/0,5	0,2/0,5	0,2/0,5
MAXIMUM LOT COVERAGE (in %)							
	40	40	40	35	40	40	40
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)							
Front	5,4	5,4	5,4	7,6	5,4	5,4	5,4
Side	2,4/2,4	2,4/2,4	2,4/2,4	4,5/4,5	4,5/4,5	2,4/2,4	2,1/2,4
Rear	7,6	7,6	7,6	13,7	7,6	7,6	7,6
FLAT ROOFS (Prohibited: X)							
	X	X	X	X	X	X	X
HEIGHT (in metres)							
Minimum	5	5	5	5	5	5	5
Maximum	10	10	10	10	10	10	10
NUMBER OF FLOORS							
Minimum	1,5	1,5	1,5	1,5	1,5	2	2
Maximum	2	2	2	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)							
	A	A	A	A	A	A	A
MIN. HABITABLE FLOOR AREA (see 10.3b)							
	A	A	A	A	A	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)							
Minimum area (in sq.m)	B	B	B	D	B	B	C
Minimum frontage and minimum width (in m)	B	B	B	D	B	B	C
ADDITIONAL SPECIFIC PROVISIONS							

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	115R (repealed)	116R	117R	118R	119R	120R (repealed)	121R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)							
Class A: single-family							
- detached			●	●	●		●
- semi-detached							
- row		●					
Class B: duplex/triplex							
- detached							
- semi-detached							
- row							
Class C: multifamily							
- detached		●					
- semi-detached							
- row							
FLOOR SPACE INDEX							
Minimum/Maximum (see 3.4)		0,3/0,7	0,2/0,5	0,2/0,5	0,2/0,5		0,2/0,5
MAXIMUM LOT COVERAGE (in %)							
		35	40	40	40		40
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)							
Front		7,6	5,4	5,4	5,4		5,4
Side		4,5	3,0/3,0	2,4/2,4	2,4/2,4		2,4/2,4
Rear		13,7	7,6	7,6	7,6		7,6
FLAT ROOFS (Prohibited: X)							
		X	X	X	X		X
HEIGHT (in metres)							
Minimum		5	5	5	5		5
Maximum		10	10	10	10		10
NUMBER OF FLOORS							
Minimum		1,5	1,5	1,5	1,5		1,5
Maximum		2	2	2	2		2
MINIMUM BUILDING WIDTH (see 10.3a)							
		A	A	A	A		A
MIN. HABITABLE FLOOR AREA (see 10.3b)							
SUBDIVISION (by-law # 90-59 Art. 3.2-a)							
Minimum area (in sq.m)		D	696,7	B	B		B
Minimum frontage and minimum width (in m)		D	18,9	B	B		B
ADDITIONAL SPECIFIC PROVISIONS							

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	122 _R	123 _R	124 _R	125 _R	126 _R	127 _R	128 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)							
Class A: single-family							
- detached	●	●			●		
- semi-detached			●				
- row							
Class B: duplex/triplex							
- detached							
- semi-detached							
- row							
Class C: multifamily							
- detached				●		●	●
- semi-detached							
- row				●			
FLOOR SPACE INDEX							
Minimum/Maximum (see 3.4)	0,2/0,5	0,2/0,5	0,3/0,7	0,3/0,7	0,2/0,5	1,0/2,0	1,0/2,0
MAXIMUM LOT COVERAGE (in %)							
	40	40	40	35	40	33	33
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)							
Front	5,4	5,4	5,4	7,6	5,4	7,6	10,0
Side	3,0/3,0	2,4/2,4	0/3,9	4,5	2,1/2,4	7,6/7,6	7,6/7,6
Rear	7,6	7,6	7,6	13,7	7,6	13,7	13,7
FLAT ROOFS (Prohibited: X)							
	X	X	X	X	X		
HEIGHT (in metres)							
Minimum	5	5	5	5	5	10	10
Maximum	10	10	10	10	10	20	20
NUMBER OF FLOORS							
Minimum	1,5	1,5	1,5	1,5	1,5	4	4
Maximum	2	2	2	2	2	7	12
MINIMUM BUILDING WIDTH (see 10.3a)							
	A	A	A	A	A	A	A
MIN. HABITABLE FLOOR AREA (see 10.3b)							
	278sq.m	A	A	A	A	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)							
Minimum area (in sq.m)	A	B	C	A	C	A	A
Larg. frontale min. et Larg. min. (in m)	A	B	C	A	C	A	A
ADDITIONAL SPECIFIC PROVISIONS							

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	129 _R	130 _R	131 _R	132 _R	133 _R	134 _R	135 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)							
Class A: single-family							
- detached	●	●	●	●	●	●	●
- semi-detached							
- row							
Class B: duplex/triplex							
- detached							
- semi-detached							
- row							
Class C: multifamily							
- detached							
- semi-detached							
- row							
FLOOR SPACE INDEX							
Minimum/Maximum (see 3.4)	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5
MAXIMUM LOT COVERAGE (in %)	40	40	40	40	40	40	40
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)							
Front	5,4	5,4	5,4	5,4	5,4	5,4	5,4
Side	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4
Rear	7,6	7,6	7,6	7,6	7,6	7,6	7,6
FLAT ROOFS (Prohibited: X)	X	X	X	X	X	X	X
HEIGHT (in metres)							
Minimum	5	5	5	5	5	5	5
Maximum	10	10	10	10	10	10	10
NUMBER OF FLOORS							
Minimum	1,5	1,5	1,5	1,5	1,5	1,5	1,5
Maximum	2	2	2	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)	A	A	A	A	A	A	A
MIN. HABITABLE FLOOR AREA (see 10.3b)	A	A	A	A	A	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)							
Minimum area (in sq.m)	B	B	B	B	B	B	B
Minimum frontage and minimum width (in m)	B	B	B	B	B	B	B
ADDITIONAL SPECIFIC PROVISIONS							

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	136 _R	137 _R	138 _R	139 _R	140 _R	141 _R	142 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)							
Class A: single-family	●	●	●	●	●	●	●
- detached							
- semi-detached							
- row							
Class B: duplex/triplex							
- detached							
- semi-detached							
- row							
Class C: multifamily							
- detached							
- semi-detached							
- row							
FLOOR SPACE INDEX							
Minimum/Maximum (see 3.4)	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5
MAXIMUM LOT COVERAGE (in %)	40	40	40	40	40	40	40
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)							
Front	5,4	5,4	5,4	5,4	5,4	5,4	5,4
Side	2,4/2,4	2,1/2,4	2,4/2,4	2,4/2,4	2,4/2,4	2,4/2,4	3,0/3,0
Rear	7,6	7,6	7,6	7,6	7,6	7,6	7,6
FLAT ROOFS (Prohibited: X)	X	X	X	X	X	X	X
HEIGHT (in metres)							
Minimum	5	5	5	5	5	5	5
Maximum	10	10	10	10	10	10	10
NUMBER OF FLOORS							
Minimum	1,5	1,5	1,5	1,5	1,5	1,5	1,5
Maximum	2	2	2	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)	A	A	A	A	A	A	A
MIN. HABITABLE FLOOR AREA (see 10.3b)	A	A	A	A	A	A	278sq.m
SUBDIVISION (by-law # 90-59 Art. 3.2-a)							
Minimum area (in sq.m)	B	C	B	B	B	B	A
Minimum frontage and minimum width (in m)	B	C	B	B	B	B	A
ADDITIONAL SPECIFIC PROVISIONS							

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	143 _R	144 _R	144 _R	144 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)				
Class A: single-family				
- detached	●		●	
- semi-detached				●
- row		●		
Class B: duplex/triplex				
- detached				
- semi-detached				
- row				
Class C: multifamily				
- detached				
- semi-detached				
- row				
FLOOR SPACE INDEX				
Minimum/Maximum (see 3.4)	0,2/0,5	0,3/0,7	0,2/0,5	0,2/0,5
MAXIMUM LOT COVERAGE (in %)	40	35	40	40
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)				
Front	5,4	7,6	5,4	5,4
Side	2,4/2,4	4,5	2,1/2,4	2,4/0,0
Rear	7,6	13,7	7,6	7,6
FLAT ROOFS (Prohibited: X)	X	X	X	X
HEIGHT (in metres)				
Minimum	5	5	5	5
Maximum	10	10	10	10
NUMBER OF FLOORS				
Minimum	1,5	1,5	1,5	1,5
Maximum	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)	A	A	A	A
MIN. HABITABLE FLOOR AREA (see 10.3b)	A	A	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)				
Minimum area (in sq.m)	B	D	B	C
Minimum frontage and minimum width (in m)	B	D	B	C
ADDITIONAL SPECIFIC PROVISIONS		(1)	(1)	(1)

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	145 _R	146 _R	147 _R	148 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)				
Class A: single-family				
- detached	●	●	●	●
- semi-detached				
- row				
Class B: duplex/triplex				
- detached				
- semi-detached				
- row				
Class C: multifamily				
- detached				
- semi-detached				
- row				
FLOOR SPACE INDEX				
Minimum/Maximum (see 3.4)	0,2/0,5	0,2/0,5	0,2/0,5	0,2/0,5
MAXIMUM LOT COVERAGE (in %)				
	40	40	40	35
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)				
Front	5,4	5,4	5,4	5,4
Side	2,1/2,4	2,4/2,4	3,0/3,0	1,9/1,9
Rear	7,6	7,6	7,6	7,5
FLAT ROOFS (Prohibited: X)				
	X	X	X	X
HEIGHT (in metres)				
Minimum	5	5	5	5
Maximum	10	10	10	10
NUMBER OF FLOORS				
Minimum	1,5	1	1,5	1
Maximum	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)				
	11,0	A	A	10,5m
MIN. HABITABLE FLOOR AREA (see 10.3b)				
	A	A	278sq.m	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)				
Minimum area (in sq.m)	B	B	A	(4)
Minimum frontage and minimum width (in m)	B	B	A	(4)
ADDITIONAL SPECIFIC PROVISIONS				
			(3)	(5)

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	149 _R	149 _R	150 _R	151 _R	152 _R	153 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)						
Class A: single-family						
- detached	●				●	●
- semi-detached		●	●			
- row				●		
Class B: duplex/triplex						
- detached						
- semi-detached						
- row						
Class C: multifamily						
- detached						
- semi-detached						
- row						
FLOOR SPACE INDEX						
Minimum/Maximum (see 3.4)	0,15/0,60	0,25/0,60	0,20/0,60	0,2/0,60	0,20/0,60	0,2/0,6
MAXIMUM LOT COVERAGE (in %)						
	30	30	30	30	30	40
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)						
Front	6.0(7)	6.0(7)	5,4	7.5	5,4	5,4
Side	1.75/1.75	0/1.75	0/1.75	(11)	1.75/1.75	1,8/1,8
Rear	7,6	7,6	7,6	7,6	7,6	7,6
FLAT ROOFS (Prohibited: X)						
	X	X	X	X	X	X
HEIGHT (in metres)						
Minimum	5	5	5	5	5	5
Maximum	10	10	10	10	10	10
NUMBER OF FLOORS						
Minimum	1,5	1,5	1,5	1,5	1,5	1,5
Maximum	2	2	2	2	2	2
MINIMUM BUILDING WIDTH (see 10.3a)						
	9.0m	8.0m	8.0m	6.0m	9.0m	10,97m
MIN. HABITABLE FLOOR AREA (see 10.3b)						
	120sq m	90sq m	100sq m	90sq m	120sq m	137sq.m
SUBDIVISION (by-law # 90-59 Art. 3.2-a)						
Minimum area (in sq.m)	(6)	(6)	(8)	(9)	(10)	(9a)
Minimum frontage and minimum width (in m)	(6)	(6)	(8)	(9)	(10)	(9a)
ADDITIONAL SPECIFIC PROVISIONS						

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	154 _R	154 _R	155 _R	156 _R	157 _R	158 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)						
Class A: single-family						
- detached	●		●			●
- semi-detached						
- row		●(11c)			●	
Class B: duplex/triplex						
- detached						
- semi-detached						
- row						
Class C: multifamily						
- detached				●		
- semi-detached						
- row						
FLOOR SPACE INDEX						
Minimum/Maximum (see 3.4)	0,0/0,45	0/0,80	0.2/0.6	0,5/1,0	0,05/0,90	0,25/0,60
MAXIMUM LOT COVERAGE (in %)	35	45	40	40	40	30
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)						
Front	5,4	5,4(11a)	5.4	12	6,0	6,0
Side	1.75/1.75	(11b)	2.0/2.0	12	3,0(12)	1,0/2,0
Rear	7,5	6,0	7.6	12	10,0(16)	10,0
FLAT ROOFS (Prohibited: X)						
HEIGHT (in metres)						
Minimum	5	5	5	6	5	5
Maximum	10	10	10	20	10,0	10,0
NUMBER OF FLOORS						
Minimum	1,5	2	1,5	2	2	2
Maximum	2	2	2	5	2	2
MINIMUM BUILDING WIDTH (see 10.3a)	9.0m	6.6m	11.27	30m	6,5	8,0
MIN. HABITABLE FLOOR AREA (see 10.3b)	120sq m	120sq m	137sq.m	40m.c.	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)						
Minimum area (in sq.m)	(11a)	(11a)	(10a)	14,000m.c.	200	400
Minimum frontage and minimum width (in m)	(11a)	(11a)	(10a)	54m	6,5	11,5
ADDITIONAL SPECIFIC PROVISIONS					(13)	

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	159 _R	160 _R	161 _R	162 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)				
Class A: single-family				
- detached			●	
- semi-detached				
- row	●			●
Class B: duplex/triplex				
- detached				
- semi-detached				
- row				
Class C: multifamily				
- detached		●(14)		
- semi-detached				
- row				
FLOOR SPACE INDEX				
Minimum/Maximum (see 3.4)	0.5/0.90	0.25/1.20	0.2/0.5	0.30/0.95
MAXIMUM LOT COVERAGE (in %)				
	45	60	40	45
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)				
Front	6.5	(15)(18)	5.4	7.6
Side	3.0(12)	(15)(18)	2.4/2.4	3.0(12)
Rear	8.5(17)	(15)(18)	7.6	8.5
FLAT ROOFS (Prohibited: X)				
			X	X
HEIGHT (in metres)				
Minimum	5.0	6.0	5	7.0
Maximum	10.0	20.0	10	10.0
NUMBER OF FLOORS				
Minimum	2	2	1.5	2
Maximum	2	6	2	2
MINIMUM BUILDING WIDTH (see 10.3a)				
	6.5	15.0	A	9.0
MIN. HABITABLE FLOOR AREA (see 10.3b)				
	A	A	A	A
SUBDIVISION (by-law # 90-59 Art. 3.2-a)				
Minimum area (in sq.m)	200	4500	B	275
Minimum frontage and minimum width (in m)	6.5	25.0	B	9.0(19)
ADDITIONAL SPECIFIC PROVISIONS				
	(13)	(35)	(35)	

Article 10.14

Particular provisions table - **RESIDENTIAL ZONES**

	163 _R	164 _R	165 _R
PERMITTED USES - RESIDENTIAL (see 2.3)(authorized: ●)			
Class A: single-family			
- detached	●	●	●
- semi-detached			●
- row			●
Class B: duplex/triplex			
- detached			●
- semi-detached			●
- row			●
Class C: multifamily			
- detached			●
- semi-detached			●
- row			●
FLOOR SPACE INDEX			
Minimum/Maximum (see 3.4)	0.2/0.5	0.2/0.5	0.5/2.0
MAXIMUM LOT COVERAGE (in %)			
	40	35	60
MINIMUM SETBACKS (in m) (see 10.1 and 10.5)			
Front	5.4	5.4(22)	5.4(22)
Side	2.4/2.4	1.9/1.9	6/6
Rear	7.6	7.5	6
FLAT ROOFS (Prohibited: X)			
	X	X	
HEIGHT (in metres)			
Minimum	5	5	7
Maximum	10	10	12/16 (25)
NUMBER OF FLOORS			
Minimum	2	1	2
Maximum	2	2	3/4 (25)
MINIMUM BUILDING WIDTH (see 10.3a)			
	A	10.5 m	(31)
MIN. HABITABLE FLOOR AREA (see 10.3b)			
	A	A	(31)
SUBDIVISION (by-law # 90-59 Art. 3.2-a)			
Minimum area (in sq.m)	A	(20)	(32)
Minimum frontage and minimum width (in m)	A	(20)	(32)
ADDITIONAL SPECIFIC PROVISIONS			
	(20)(21)(22)(23)	(21)(22)(23)(24)(25)(26)(27)(28)(29)(30)(31)(32)(33)	

NOTES

- (1) Zone **144R** is residential and commercial. In addition to residential uses governed by the present table, certain commercial uses are authorized, subject to the provisions of article 11.8 for zone **216C**.
- (2) In zone **120R**, in addition to residential uses governed by the present table, class "A" commercial uses are authorized, subject to the provisions of article 11.8 for zone **229C**.
- (3) In zone **147R**, regular and short-term day-care or nursery school services are authorized, subject to all provisions governing residential uses, except for the minimum number of floors, which is 1, and except for the minimum habitable floor area, which is governed by code "A".
- (4) In zone **148R**, the minimum dimensions of the lots for detached single-family dwelling are the following:

	Minimum area	Minimum frontale width	Minimum width	Minimum depth
Standard lot	450 m ² 4843,9 sq.ft.	14,5 m 47,6 ft	14,5 m 47,6 ft	27,5 m 90,2 ft
Corner lot	540 m ² 5812,7 sq.ft.	18,0 m 59,1 ft	18,0 m 59,1 ft	27,5 m 90,2 ft

- (5) In zone **148R**,
 - a) no dwelling may have its facade on Brunswick boulevard or on a street situated on the limit between zones **148R** and **233C**;
 - b) no driveway is permitted on Brunswick boulevard or on a street situated on the limit between zones **148R** and **233C**.

- (6) In zone **149R**,

	Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
Single-family detached				
Standard lot	450 m ² 4521.0 sq.ft.	12.0 m 39.4 ft	13.5 m 44.3 ft	- -
Corner lot	580 m ² 6243.3 sq.ft.	15,0 m 49.2 ft	19,5 m 64.0 ft	- -
	Minimum surface area	Minimum frontage width	Minimum width	Minimum depth

Single-family semi-detached

Standard lot	325 m ²	11.0 m	11.0 m	-
	3498.4 sq.ft.	36.1 ft	36.1 ft	-
Corner lot	450 m ²	12.0 m	14.0 m	-
	4843.9 sq.ft.	39.4 ft	45.9 ft	-

(7) 5.0 m (16.4') from Hymus Boulevard.

(8) In zone **150R**, the minimum lot dimensions shall be as follows:

Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
----------------------------	------------------------------	------------------	------------------

Single-family detached

Standard lot	275 m ²	6.0 m	10.0 m	-
	2960.2 sq.ft.	19.7 ft	32.8 ft	-
Corner lot	320 m ²	10,0 m	12,5 m	-
	3444.6 sq.ft.	32.8 ft	41.0 ft	-

(9) In zone **151R**, the minimum lot dimensions shall be as follows:

Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
----------------------------	------------------------------	------------------	------------------

Single-family (row)

Standard lot	180 m ²	6.0 m	6.0 m	-
	1937.6 sq.ft.	19.7 ft	19.7 ft	-
Corner lot	325 m ²	11,0 m	11.0 m	-
	3948.4 sq.ft.	36.1 ft	36.1 ft	-

(9a) In zone **153R**, the minimum lot dimensions shall be as follows:

	Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
Standard lot	464,5 m ²	10.90 m	15.12 m	-
	5000 sq.ft.	35,8 ft	49,6 ft	-
Corner lot	530 m ²	13,30 m	18.20 m	-
	5705,1 sq.ft.	43.6 ft	59.7 ft	-

(10) In zone **152R**, the minimum lot dimensions shall be as follows:

	Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
Single-family detached				
Standard lot	420m ² 4521.0 sq.ft.	8.0 m 26.2 ft	15.0 m 49.2 ft	- -
Corner lot	550 m ² 5920.3 sq.ft.	12,0 m 39.4 ft	18.0 m 59.1 ft	- -

(10a) In zone **155R**, the minimum lot dimensions shall be as follows:

	Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
Standard lot	525 m ²	10,50 m	17.50 m	-
Corner lot	624 m ²	15.60 m	20.80 m	-

(11) The side setback at the end of a row is 5.0 metres (16.4') from any street right-of-way ad 1.5 metre (4.9') from any lot occupied by a house from another row.

(11a) In zone **154R**, the minimum lot dimensions shall be as follows:

	Minimum surface area	Minimum frontale width	Minimum width	Minimum depth
Single-family detached				
Standard lot	550 m ²	14,0 m	17.5 m	30.0 m
Corner lot	650 m ²	15.0 m	18.0 m	30.0 m
Single-family (row)				
Standard lot	195 m ²	6.5 m	6.5 m	30.0 m
Corner lot	375 m ²	12.5 m	12.5 m	30.0 m

- (11b) In zone **154R**, the side set-back at the end of a row is 5,0 metres (16,4') from Mealney street, 6.0 metres (19.7') from any other street and 3.0 metres (9.84') from any lot occupied by a house that is part of another row.
- (11c) In this zone, a terrace or row building may be contiguous to only one other similar building.
- (12) Side setback at the end of a row.
- (13) In this zone, the provisions of paragraph b) of Article 10.5 and the provisions of sub-paragraph ii) of paragraph e) of Article 10.6 do not apply.
- (14) In this zone, pavilion type arrangements are also permitted, i.e. ensemble of two or more detached structures located on a same landsite and serviced by a private lane.
- (15) In this zone, no building shall be located at less than:
- 15.0 metres from any boundary of the right-of-way of Autoroute 40 (Transcanada);
 - 7.5 metres from any right-of-way of a public street;
 - 5.0 metres from any private lane;
 - 9.0 metres from any building located on the same landsite;
 - 7.5 metres from any boundary of the landsite other than a street.
- (16) In this zone, no main building shall be located at less than 25.0 metres from any boundary of the right-of-way of Autoroute 440 and that of Chemin Sainte-Marie.
- (17) In this zone, no main building shall be located at less than 19.0 metres from any boundary of the right-of-way of Autoroute 440 and that of Chemin Sainte-Marie.
- (18) In this zone, no building with more than two storeys shall be located at less than 100 metres from any residential property located in zone 106R.
- (19) In this zone, the minimum depth of a lot is 30.0 metres.
- (20) In zone **164R**, the minimum dimensions of the lots are as follows:

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	450 m ² 4,843.9 ft ²	14.5 m 47.6'	14.5 m 47.6'	27.5 m 90.2'
Corner lot	540 m ² 5,812.7 ft ²	18.0 m 59.1'	18.0 m 59.1'	27.5 m 90.2'

- (21) Zones **164R** and **165R** are subject to a site planning and architectural integration program (SPAIP).
- (22) In zones **164R** and **165R**, the minimum front setback from the Brunswick Boulevard right-of-way is 6 m (19.6').
- (23) In zones **164R** and **165R**, all new public utility services shall be buried in accordance with the rules of each competent authority.

- (24) In zone **165R**, the minimum distance setback between two (2) rear walls (MIA) is 12 m (39.3').
- (25) In zone **165R**, for buildings located less than 20 m (65.6') from the Brunswick Boulevard right-of-way, the maximum number of floors is two (2) and the maximum height is 10 m (32.8'). For buildings located 20 m (65.6') or more and less than 120 m (393.7') from the Brunswick Boulevard right-of-way, the maximum number of floors is three (3) and the maximum height is 12 m (39.3'). For buildings located 120 m (393.7') or more from the Brunswick Boulevard right-of-way, the maximum number of floors is four (4) and the maximum height is 16 m (52.4').
- (26) In zone **165R**, for the buildings located 120 m (393.7') or more from the Brunswick Boulevard right-of-way, a mezzanine is authorized in accordance with the requirements prescribed in paragraph c) of section 10.16 of this By-Law.
- (27) In zone **165R**, the maximum lot coverage ratio (as a %) is calculated without considering an underground or semi-underground parking garage, provided the floor does not exceed the natural ground level by more than 1.5 m (4.9') and the ground area is used as a yard.
- (28) In zone **165R**, the height from the ground of an underground parking garage shall fulfill the requirement specified in paragraph d) of section 10.16 of this By-Law.
- (29) In zone **165R**, the definition of ground floor refers to the floor that is located a maximum of 1.5 m (4.9') above the average sidewalk level.
- (30) In zone **165R**, notwithstanding section 10.6 e) ii) of this By-Law, garages are authorised below street level.
- (31) In zone **164R** and **165R**, the minimum lengths of dwelling facades and minimum habitable floor areas for each classification of Residential uses are as follows:

Minimum lengths of dwelling facades

Class A dwellings (single-family)		
- detached 1, 1 ½ or 2 floors	10.5 m	(34.4')
- semi-detached 1 ½ or 2 floors	6 m	(19.6')
- row 1 ½ or 2 floors	6 m	(19.6')
Class B dwellings (duplexes or triplexes)		
- detached	9 m	(29.5')
- semi-detached	6 m	(19.6')
- row	6 m	(19.6')
Class C dwellings (multiple-family)		
- detached	16 m	(52.5')
- semi-detached	16 m	(52.5')
- row	16 m	(52.5')

Minimum habitable floor area

Class A dwellings (single-family)		
- detached 1 or 1 ½ floors	110 m ²	(1,184 ft ²)
- detached 2 floors	137 m ²	(1,474.7 ft ²)
- semi-detached or row 1 ½ or 2 floors	100 m ²	(1,076.4 ft ²)

Class B dwellings (duplexes or triplexes)		
- detached	100 m ²	(1,076.3 ft ²)
- semi-detached	75 m ²	(807.3 ft ²)
- row	50 m ²	(538.2 ft ²)
	per dw. unit	per dw. unit
Class C dwellings (multiple-family)		
- detached	40 m ²	(430.5 ft ²)
- semi-detached	-	-
- row	-	-
	per dw. unit	per dw. unit

(32) In zone **165R**, the minimum lot areas are as follows:

Single-family detached

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	450 m ² 4,843.9 ft ²	14.5 m 47.6'	14.5 m 47.6'	27.5 m 90.2'
Corner lot	540 m ² 5,812.7 ft ²	18 m 59.1'	18 m 59.1'	27.5 m 90.2'

Single-family semi-detached

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	250 m ² 2,690.9 ft ²	8 m 26.2'	8 m 26.2'	- -
End of a row	250 m ² 2,690.9 ft ²	8 m 26.2'	8 m 26.2'	- -
Corner lot	310 m ² 3,336.8 ft ²	10 m 32.8'	10 m 32.8'	- -

Single-family row

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	186 m ² 2,002 ft ²	6 m 19.6'	6 m 19.6'	- -

End of a row	250 m2 2,690.9 ft2	8 m 26.2'	8 m 26.2'	- -
--------------	-----------------------	--------------	--------------	--------

Corner lot	310 m2 3,336.8 ft2	10 m 32.8'	10 m 32.8'	- -
------------	-----------------------	---------------	---------------	--------

Duplex/Triplex detached

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	- -	- -	- -	- -
End of a row	- -	- -	- -	- -
Corner lot	465 m2 5,005.2 ft2	15 m 49.2'	15 m 49.2'	- -

Duplex/Triplex semi-detached

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	- -	- -	- -	- -
End of a row	250 m2 2,690.9 ft2	8 m 26.2'	8 m 26.2'	- -
Corner lot	310 m2 3,336.8 ft2	10 m 32.8'	10 m 32.8'	- -

Duplex/Triplex row

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Standard lot	186 m2	6 m	6 m	-

	2,002 ft2	19.6'	19.6'	-
End of a row	250 m2 2690.9 ft2	8 m 26.2'	8 m 26.2'	- -
Corner lot	310 m2 3,336.8 ft2	10 m 32.8'	10 m 32.8'	- -

Any type of dwelling other than single-family

	Minimum area	Minimum frontage width	Minimum width	Minimum depth
Detached	1,390 m2 14,962.3 ft2	30 m 98.4'	30 m 98.4'	- -
Semi-detached or row	1,100 m2 11,840.7 ft2	23 m 75.5'	23 m 75.5'	- -

(33) In zone **165R**, the provisions of section 10.5 a) and b) of this By-law do not apply.

(35) Inside the area subject to “Conservation” land use as shown on the “Land Use” map of the Planning Programme, only the following uses are authorized:

- Interpretation facility related to nature;
- Extensive recreational facility, equipment or layout;
- Development of natural habitats for the purposes of ecological management and the improvement of biodiversity.